

Literatura aktualizowana na bieżąco:

- Aude YW, et al. The National Cholesterol Education Program Diet vs a Diet Lower in Carbohydrates and Higher in Protein and Monounsaturated Fat. A Randomized Trial. *Arch Intern Med.* 2004;164:2141–2146.
- Bischoff-Ferrari HA, et al. Fracture prevention with vitamin D supplementation: a meta-analysis of randomized controlled trials. *JAMA.* 2005 May 11;293(18):2257-64.
- Björntorp, P. (2001), Do stress reactions cause abdominal obesity and comorbidities?. *Obesity Reviews*, 2: 73–86. doi: 10.1046/j.1467-789x.2001.00027
- Brehm BJ, et al. A randomized trial comparing a very low carbohydrate diet and a calorie-restricted low fat diet on body weight and cardiovascular risk factors in healthy women. *J Clin Endocrinol Metab.* 2003 Apr;88(4):1617-23.
- Brinkworth GD, et al. Long-term effects of a very-low-carbohydrate weight loss diet compared with an isocaloric low-fat diet after 12 mo. *Am J Clin Nutr.* 2009 Jul;90(1):23-32.
- Broe KE, et al. A higher dose of vitamin d reduces the risk of falls in nursing home residents: a randomized, multiple-dose study. *J Am Geriatr Soc.* 2007 Feb;55(2):234-9.
- Daly ME, et al. Short-term effects of severe dietary carbohydrate-restriction advice in Type 2 diabetes – a randomized controlled trial. *Diabet Med.* 2006 Jan;23(1):15-20.
- Dyson PA, et al. A low-carbohydrate diet is more effective in reducing body weight than healthy eating in both diabetic and non-diabetic subjects. *Diabet Med.* 2007 Dec;24(12):1430-5.
- Foster GD, et al. A randomized trial of a low-carbohydrate diet for obesity. *N Engl J Med.* 2003 May 22;348(21):2082-90.
- Gardner CD, et al. Comparison of the Atkins, Zone, Ornish, and LEARN diets for change in weight and related risk factors among overweight premenopausal women: the A TO Z Weight Loss Study: a randomized trial. *JAMA.* 2007 Mar 7;297(9):969-77.
- Guldbrand, et al. In type 2 diabetes, randomization to advice to follow a low-carbohydrate diet transiently improves glycaemic control compared with advice to follow a low-fat diet producing a similar weight loss. *Diabetologia.* 2012 Aug;55(8):2118-27.
- Halyburton AK, et al. Low- and high-carbohydrate weight-loss diets have similar effects on mood but not cognitive performance. *Am J Clin Nutr* 2007;86:580–7.
- Hernandez, et al. Lack of suppression of circulating free fatty acids and hypercholesterolemia during weight loss on a high-fat, low-carbohydrate diet. *Am J Clin Nutr* March 2010 vol. 91 no. 3 578-585.
- Hession M, et al. Systematic review of randomized controlled trials of low-carbohydrate vs. low-fat/low-calorie diets in the management of obesity and its comorbidities. *Obesity Reviews*, 10: 36–50.
- JS Volek, et al. Comparison of energy-restricted very low-carbohydrate and low-fat diets on weight loss and body composition in overweight men and women. *Nutr Metab (Lond).* 2004; 1: 13.
- Keogh JB, et al. Effects of weight loss from a very-low-carbohydrate diet on endothelial function and markers of cardiovascular disease risk in subjects with abdominal obesity. *Am J Clin Nutr* 2008;87:567–76.
- Krebs NF, et al. Efficacy and Safety of a High Protein, Low Carbohydrate Diet for Weight Loss in Severely Obese Adolescents. *J Pediatr* 2010;157:252-8.
- Lappe JM, et al. Vitamin D and calcium supplementation reduces cancer risk: results of a randomized trial. *Am J Clin Nutr.* 2007 Jun;85(6):1586-91.
- McClernon FJ, et al. The effects of a low-carbohydrate ketogenic diet and a low-fat diet on mood, hunger, and other self-reported symptoms. *Obesity (Silver Spring).* 2007 Jan;15(1):182-7.
- Meckling KA, et al. Comparison of a low-fat diet to a low-carbohydrate diet on weight loss, body composition, and risk factors for diabetes and cardiovascular disease in free-living,

overweight men and women. *J Clin Endocrinol Metab.* 2004 Jun;89(6):2717-23.

- Nichols-Richardsson SM, et al. Perceived Hunger Is Lower and Weight Loss Is Greater in Overweight Premenopausal Women Consuming a Low-Carbohydrate/High-Protein vs High-Carbohydrate/Low-Fat Diet. *J Am Diet Assoc.* 2005;105:1433–1437.
- Partsalaki I, et al. Metabolic impact of a ketogenic diet compared to a hypocaloric diet in obese children and adolescents. *J Pediatr Endocrinol Metab.* 2012;25(7-8):697-704.
- Samaha FF, et al. A Low-Carbohydrate as Compared with a Low-Fat Diet in Severe Obesity. *N Engl J Med* 2003;348:2074–81.
- Santos F, et al. Systematic review and meta-analysis of clinical trials of the effects of low carbohydrate diets on cardiovascular risk factors. *Obesity Reviews*, 13: 1048–1066.
- Shai I, et al. Weight loss with a low-carbohydrate, mediterranean, or low-fat diet. *N Engl J Med* 2008;359(3):229–41.
- Soenen, et al. Relatively high-protein or “low-carb” energy-restricted diets for body weight loss and body weight maintenance? *Physiol Behav.* 2012 Oct 10;107(3):374-80.
- Sondike SB, et al. Effects of a low-carbohydrate diet on weight loss and cardiovascular risk factor in overweight adolescents. *J Pediatr.* 2003 Mar;142(3):253-8.
- Summer SS, et al. Adiponectin Changes in Relation to the Macronutrient Composition of a Weight-Loss Diet. *Obesity (Silver Spring).* 2011 Mar 31. [Epub ahead of print]
- Tay J, et al. Metabolic effects of weight loss on a very-low-carbohydrate diet compared with an isocaloric high-carbohydrate diet in abdominally obese subjects. *J Am Coll Cardiol.* 2008 Jan 1;51(1):59-67.
- Trivedi DP, et al. Effect of four monthly oral vitamin D3 (cholecalciferol) supplementation on fractures and mortality in men and women living in the community: randomised double blind controlled trial. *BMJ* 2003;326:469.
- Urashima M, et al. Randomized trial of vitamin D supplementation to prevent seasonal influenza A in schoolchildren. *Am J Clin Nutr* May 2010.
- Volek JS, et al. Carbohydrate Restriction has a More Favorable Impact on the Metabolic Syndrome than a Low Fat Diet. *Lipids* 2009;44:297–309.
- Volek JS, et al. Carbohydrate restriction has a more favorable impact on the metabolic syndrome than a low fat diet. *Lipids.* 2009 Apr;44(4):297-309.
- Volek JS, et al. Comparison of energy-restricted very low-carbohydrate and low-fat diets on weight loss and body composition in overweight men and women. *Nutrition & Metabolism* 2004, 1:13.
- Westman EC, et al. Low-carbohydrate nutrition and metabolism. *Am J Clin Nutr* August 2007 86: 2 276-284
- Westman EC, et al. The effect of a low-carbohydrate, ketogenic diet versus a low-glycemic index diet on glycemic control in type 2 diabetes mellitus. *Nutr. Metab (Lond.)*2008 Dec 19;5:36.
- Westman EC, et al. The effect of a low-carbohydrate, ketogenic diet versus a low-glycemic index diet on glycemic control in type 2 diabetes mellitus. *Nutr Metab (Lond).* 2008 Dec 19;5:36.
- Yancy WS Jr, et al. A low-carbohydrate, ketogenic diet versus a low-fat diet to treat obesity and hyperlipidemia: a randomized, controlled trial. *Ann Intern Med.* 2004 May 18;140(10):769-77.
- Wong, Julia M.; de Souza, Russell; Kendall, Cyril W.; Emam, Azadeh; Jenkins, David J. (2006). "Colonic Health: Fermentation and Short Chain Fatty Acids". *Journal of Clinical Gastroenterology* 40 (3): 235-243.
- Vanhoutvin, SA; Troost, FJ; Hamer, HM; Lindsey, PJ; Koek, GH; Jonkers, DM; Kodde, A; Venema, K et al. (2009). "Butyrate-Induced Transcriptional Changes in Human Colonic Mucosa". In Bereswill, Stefan. *PLoS ONE* 4 (8): e6759.
- Flight V. Evidence does not support saturated fats being harmful for cardiovascular health. *J*

Prim Health Care. 2012 Jun 1;4(2):174.

- Petousis-Harris H. J Prim Health Care. 2011 Dec 1; 3(4):317-9. Epub 2011 Dec 1.
- Ravnskov U. The questionable role of saturated and polyunsaturated fatty acids in cardiovascular disease. J Clin Epidemiol. 1998 Jun;51(6):443-60.
- Patty W Siri-Tarino, Qi Sun, Frank B Hu, and Ronald M Krauss. Meta-analysis of prospective cohort studies evaluating the association of saturated fat with cardiovascular disease. Am J Clin Nutr. 2010 March; 91(3): 535-546.